Energizer.



USER GUIDE

LED LIGHT EZLSPF20 / EZLSPF20UK


Energizer_®

©2019 Energizer.

Energizer and certain graphic designs are trademarks of Energizer Brands, LLC and related subsidiaries and are used under license by Builder SAS.

All other brand names are trademarks of their respective owners.

Neither Builder SAS nor Energizer Brands, LLC is affiliated with the respective owners of their trademarks.



CAUTION:

Read instructions and warnings before operating!

SAVE THESE INSTRUCTIONS! READ ALL INSTRUCTIONS!

SAFETY INSTRUCTIONS

WARNING: To avoid serious injury or death from electrical shock or fire:

- 1. **DO NOT** handle this fixture or try to plug it in when your hands are wet or damp or when standing on a wet or damp surface or in water.
- This fixture MUST ALWAYS BE USED IN ACCORDANCE WITH ALL ELECTRICAL AND SAFETY CODES AND
 ORDINANCES, including the most recent National Electric Code (NEC) and with the Occupational Safety and
 Health Act (OSHA) Volume 1 on General Industry Standards and interpretations.
- 3. ALWAYS make certain that the power source conforms to the rating on the fixture.
- 4. ALWAYS disconnect the power before servicing or inspecting the fixture for any reason.
- 5. This fixture IS ONLY FOR USE ON 220-240V~50/60Hz and is equipped with an approved plug with Rubber Cable H05RN-F 3X1MM² cord, 1.5m long.
- 6. This fixture is suitable for indoor/outdoor use. The fixture can be used outdoors in rain or damp conditions.
- 7. **CAUTION: RISK OF ELECTRICAL SHOCK.** Do not use in or near standing water, or where water may accumulate. Keep this fixture at least 16 feet from pools or spas.
- 8. **DO NOT** use in potentially dangerous locations, such as in flammable or explosive atmospheres.
- 9. **NEVER** operate the light with the clear protective glass broken or removed.
- 10. **NEVER LOOK DIRECTLY INTO LIGHT SOURCE.** LED's are extremely bright and can damage eyes with prolonged exposure.
- 11. KEEP AWAY from heating vents, radiators, or other sources of heat.
- 12. Do not use alcohol, flammable solutions or other solvents nearby or for cleaning of the warning light. Only clean the warning light with warm water and a soft cloth.
- 13. KEEP OUT OF REACH OF CHILDREN.

SPECIFICATIONS:

Model: EZLSPF20/EZLSPF20UK Voltage: 220-240V~/50-60Hz

Power: 20W

Degree of protection: IP65
Material: Aluminum die-casting
Color temperature: 6000K
Beam angle: 120 degree

Life time: 50000 h

Easy installation and maintenance



A: Handle

B: LED light source

C: Protective glass shield


D: Cable

E: Plug

F: Bracket


ASSEMBLY INSTRUCTIONS

Fasten the light to the "H" Stand (G) with the Knob (H) as shown and tighten. Note the round washer located on top of the Bracket (F).



OPERATION

Plug power cord into 220-240V standard wall outlet. The work light will be on.




Warning: Replace any cracked protective shield!

Loosen the knobs on sides to adjust the angle of the light head to aim light where needed. Retighten the knob to secure position.



Loosen the knobs on base to adjust the rotation of the light head to direct light where needed. Retighten the knob to secure position.



LAMP REPLACEMENT

The LED chip in this fixture is not replaceable. It will last up to 50,000 hours and is not subject to breakage due to shock like typical halogen or incandescent lamps.

MAINTENANCE

Remove dirt and grime as soon as it accumulates. Use a soft, damp cloth and mild soap, if needed.

NEVER submerge any part of the work light in any solution to clean it.

DO NOT USE solvents (such as gasoline, turpentine, etc.) to clean the work light.

DRY THOROUGHLY BEFORE PLUGGING BACK INTO OUTLET!



Electrical products should not be discarded with household products. According to the European Directive 2012/19/EU on waste electrical and electronic equipment and its implementation into national law, electrical products used must be collected separately and disposed of at collection points provided for this purpose. Talk with your local authorities or dealer for advice on recycling.