


SUBMERSIBLE ELECTRIC WATER PUMP HFP750

ORIGINAL INSTRUCTIONS



WARNING: Read thoroughly the instruction manual before use

SAFETY WARNINGS

Please note that all instructions must be consulted! Failure to observe the following instructions and warnings may result in electric shock, fire and / or serious injury. Keep all instructions and warnings for future reference. If you are giving this device to another person, please provide this instruction manual as well.

- This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.
- If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.
- Use this unit as described in this manual. Any mishandling or use contrary to these instructions will in no case be the responsibility of the manufacturer.

- Failure to observe the safety and operating instructions may cause a risk of electric shock, fire and / or injury to persons.
- Do not use attachments other than those recommended by the manufacturer; they can damage the unit and / or cause injury.
- DANGER OF SUFFOCATION! Keep packaging materials out of the reach of children.
- Before any connection, check:
 - Do not damage the device or cable. In this case, do not use the appliance and take it to your dealer for inspection and repair.
 - That the voltage indicated on the rating plate of the appliance corresponds to that of your electrical installation.
- Do not disassemble the device yourself. Any disassembly, repair or inspection should be carried out exclusively by a qualified service.
- The supply cord must be easily accessible.
- The pump must be supplied through a residual current device (RCD) having a rated residual operating current not exceeding 30 mA.
- Protect the appliance and electrical connections against moisture.
- In case of flood danger, protect the connectors.

- Avoid the discharge of aggressive liquids and the discharge of abrasive materials.
- The submersible motor pump must be protected from freezing.
- The submersible motor pump must not run dry.
- Disconnect the pump from the supply mains before carrying out user maintenance such as cleaning the filter.
- Pollution of the liquid could occur due to leakage of lubricants.

SYMBOLS



Read the instruction manual

INTENDED USE

The immersion pump is designed for private use in the house and garden. It must only be operated within the framework of the deployment limitations in accordance with the technical data.

- Water removal in the event of a flood.
- Re-pumping and pumping out from vessel.
- Water removal from streams and shafts.
- Water removal from drain and trickle shafts.

GETTING STARTED

- 1. Install and screw the water pump outlet to the appliance (in the front).
- 2. Connect a discharge pipe with a diameter at least equal to the diameter of the pump outlet.


Discharge pipe diameter	Inner diameter: 25 mm	
	Outer diameter: 35 mm	
Connecting pipe size	1-1/4"	

^{3.} Immerse the pump in the liquid to be sucked, by making an angle of 45 degrees (to reduce the amount of air trapped in the pump body). If the pump rests on the bottom, make sure it is on a flat and stable surface.

- 4. Make sure that no one is present in the liquid to be pumped.
- 5. Plug the pump to the mains.


FUNCTIONS

- Float switch can be overhung or hang from freely. According to customer's requirement, choose their suitable way.





- When cable of float switch clamp into slot, customer can choose different start level and stop level.



 Cable of float switch can be fixed into the slot; length can be controlled according to different requirement.

TECHNICAL SPECIFICATIONS

Model	HFP750
Voltage	220-240V~ 50Hz
Power	750 W
Flow	Q max 17500 l/h
Head	H max 8.5m
Max. Immersion depth	7m
IP	IPX8
Weight	4.4kg
Max temperature	35°C

USE AND DESTINATION OF THE PUMP

Your pump is designed for domestic use. Your pump must not be used in following situations:

- Water temperature to be sucked > 35°C.
- Drinking water supply or washing machines for dishes supply.
- Corrosive, easily combustible, aggressive or explosive liquids (such as gasoline, petroleum or nitro thinner), saltwater, oils and greases must not be pumped.
- Permanent submersion under 3 meters or more water.

CARE & MAINTENANCE

- In case of temporary installation, the pump must be cleaned up with clear water after use.
- In case of permanent installation, it is necessary to check every 3 months that start mechanism is working properly (float switch or sensor).
- Regularly remove dirt that may accumulate in the sump.
- Do not expose to frost.
- Avoid dry run.
- Do not abuse the cord. Never use the cord for carrying, pulling or unplugging the pump.
- Clean the pump regularly if aspirated liquid cause sediments.
- Avoid shocks, do not let the pump fall.

TROUBLESHOOTING

Trouble	check	Should do
The engine does not start	Is the pump plugged?	Check your electrical
and does not make noise.	Does the pump starts	installation
	when fully submerged?	Check that the float can move
		freely
Pump does not deliver.	Does the impeller rotates?	Eliminate the reason for
	Is it in good condition?	blocking
	Is the pump inlet free?	Replace the impeller
	The delivery head requested	Clean the pump inlet
	exceeds the requirements of	Use the pump in accordance
	the pump or the discharge	with its technical capabilities
	pipe is too narrow	Increase the pipe diameter

The pump stops suddenly	Is there a sufficient water	Disconnect the pump from
	level to suck?	the mains and let it cool for a
	Did the pump run for a long	few tens of minutes
	time without stopping?	Clean the pump inlet
	Are you sure that the pump	Use a power supply matching
	inlet is not obstructed?	the rating plate
	Does the power of the	Observe the maximum
	mains match the rating	allowable temperature
	plate?	
	Is the temperature of the	
	liquid less than 35°C?	
Flow decreases	Is the pump inlet clean?	Clean the area or areas in
	Is the impeller clean?	question (s)
	The discharge pipe is not	
	partially clogged?	
Low flow or insufficient	Are you sure that the pump	Clean the zone (s) concerned
	inlet is not obstructed?	and verify check valve, if
	Is the impeller clean?	applicable
	Are you sure that the outlet	Connecting a pipe with a

DISPOSAL

Electrical products should not be discarded with household products. According to the European Directive 2012/19/EU on waste electrical and electronic equipment and its implementation into national law, electrical products used must be collected separately and disposed of at collection points provided for this purpose. Talk with your local authorities.

HYUNDAI

WARRANTY

The manufacturer guarantees the product against defects in material and workmanship for a period of 2 years from the date of the original purchase. The warranty only applies if the product is for household use. The warranty does not cover breakdowns due to normal wear and tear.

The manufacturer agrees to replace parts identified as defective by the designated distributor. The manufacturer does not accept responsibility for the replacement of the machine, in whole or in part, and/or ensuing damage.

The warranty does not cover breakdowns due to:

- · insufficient maintenance.
- abnormal assembly, adjustment or operations of the product.
- parts subject to normal wear and tear.

The warranty does not extend to:

- · shipping and packaging costs.
- using the tool for a purpose other than that for which it was designed.
- the use and maintenance of the machine done in a manner not described in the user manual.

Due to our policy of continuous product improvement, we reserve the right to alter or change specifications without notice. Consequently, the product may be different from the information contained therein, but a modification will be undertaken without notice if it is recognized as an improvement of the preceding characteristic.

READ THE MANUAL CAREFULLY BEFORE USING THE MACHINE.

When ordering spare parts, please indicate the part number or code, you can find this in the spare parts list in this manual. Keep the purchase receipt; without it, the warranty is invalid. To help you with your product, we invite you to contact us by phone or via our website:

- · +33 (0)9.70.75.30.30
- https://services.swap-europe.com/contact

You must create a "ticket" via the web platform.

- Register or create your account.
- Indicate the reference of the tool.
- · Choose the subject of your request.
- Describe your problem.
- Attach these files: invoice or sales receipt, photo
 of the identification plate (serial number), photo
 of the part you need (for example: pins on the
 transformer plug which are broken).



PRODUCT FAILURE

WHAT TO DO IF MY MACHINE BREAKS DOWN?

If you bought your product in a store:

- a) Empty the fuel tank.
- b) Make sure that your machine is complete with all accessories supplied, and clean! If this is not the case, the repairer will refuse the machine.

Go to the store with the complete machine and with the receipt or invoice.

If you bought your product on a website:

- a) Empty the fuel tank.
- b) Make sure that your machine is complete with all accessories supplied, and clean! If this is not the case, the repairer will refuse the machine.
- c) Create a SWAP-Europe service ticket on the site: https://services.swap-europe.com When making the request on SWAP-Europe, you must attach the invoice and the photo of the nameplate (serial number).
- d) Contact the repair station to make sure it is available before dropping off the machine.

Go to the repair station with the complete machine packed, accompanied by the purchase invoice and the station support sheet downloadable after the service request is completed on the SWAP-Europe site

For machines with engine failure from manufacturers BRIGGS & STRATTON, HONDA and RATO, please refer to the following instructions.

Repairs will be done by approved engine manufacturers of these manufacturers, see their site:

- http://www.briggsandstratton.com/eu/fr
- http://www.honda-engines-eu.com/fr/service-network-page;jsessionid=5EE8456CF39CD572AA2AEEDFD 290CDAE
- https://www.rato-europe.com/it/service-network

Please keep your original packaging to allow for after-sales service returns or pack your machine with a similar cardboard box of the same dimensions.

For any question concerning our after-sales service you can make a request on our website https://services.swap-europe.com

Our hotline remains available at +33 (9) 70 75 30 30.



WARRANTY EXCLUSIONS

THE WARRANTY DOES NOT COVER:

- Start-up and setting up of the product.
- Damage resulting from normal wear and tear of the product.
- · Damage resulting from improper use of the product.
- Damage resulting from assembly or start-up not in accordance with the user manual.
- Breakdowns related to carburetion beyond 90 days and fouling of carburetors.
- Periodic and standard maintenance events.
- Actions of modification and dismantling that directly void the warranty.
- Products whose original authentication marking (brand, serial number) has been degraded, altered or withdrawn.
- · Replacement of consumables.
- The use of non-original parts.
- · Breakage of parts following impacts or projections.
- Accessories breakdowns.
- Defects and their consequences linked to any external cause.
- · Loss of components and loss due to insufficient screwing.
- Cutting components and any damage related to the loosening of parts.
- Overload or overheating.
- Poor power supply quality: faulty voltage, voltage error, etc.
- Damages resulting from the deprivation of enjoyment of the product during the time necessary for repairs and more generally the costs related to the immobilization of the product.
- The costs of a second opinion established by a third party following an estimate by a SWAP-Europe repair station
- The use of a product which would show a defect or a breakage which was not the subject of an immediate report and/or repair with the services of SWAP-Europe.
- Deterioration linked to transport and storage*.
- · Launchers beyond 90 days.
- Oil, petrol, grease.
- Damages related to the use of non-compliant fuels or lubricants.
- * In accordance with transport legislation, damage related to transport must be declared to carriers within 48 hours maximum after observation by registered letter with acknowledgement of receipt.

This document is a supplement to your notice, a non-exhaustive list.

Attention: all orders must be checked in the presence of the delivery person. In case of refusal by the delivery person, it you must simply refuse the delivery and notify your refusal.

Reminder: the reserves do not exclude the notification by registered letter with acknowledgement within 72 hours.

Information:

Thermal devices must be wintered each season (service available on the SWAP-Europe site). Batteries must be charged before being stored.



For Inquiries, please contact:

BUILDER SAS 32, Rue Aristide Bergès Z1 31270 Cugnaux, France Tél.: +33(0)5.34.502.502 Fax: +33(0)5.34.502.503 http://www.hyundaipower-fr.com/ Fabriqué en République Populaire de Chine(PRC)