


HYUNDAI
POWER PRODUCTS

CORDLESS SCREWDRIVER

HT36BMC-1

ORIGINAL INSTRUCTIONS



WARNING: Read thoroughly the instruction manual before use

CONTENTS

1. WARNING INSTRUCTIONS.....	3
2. INTENDED USE.....	6
3. PRODUCT DESCRIPTION.....	6
4. LIST OF THE PACKAGE.....	7
5. SPECIFICATIONS.....	8
6. USE.....	8
7. MAINTENANCE.....	9
8. STORAGE.....	9
9. DISPOSAL.....	9
10. DECLARATION OF CONFORMITY.....	10
11. WARRANTY.....	11
12. PRODUCT FAILURE.....	12
13. WARRANTY EXCLUSIONS.....	13

1. WARNING INSTRUCTIONS

GENERAL POWER TOOL SAFETY INFORMATION

 **WARNING** Read all safety warnings, instructions, illustrations and specifications provided with this power tool. *Failure to follow all instructions listed below may result in electric shock, fire and/or serious injury.*

Save all warnings and instructions for future reference.

The term "power tool" in the warnings refers to your mains-operated (corded) power tool or battery-operated (cordless) power tool.

1) Work area safety

- a. **Keep work area clean and well lit.** *Cluttered or dark areas invite accidents.*
- b. **Do not operate power tools in explosive atmospheres, such as in the presence of flammable liquids, gases or dust.** *Power tools create sparks which may ignite the dust or fumes.*
- c. **Keep children and bystanders away while operating a power tool.** *Distractions can cause you to lose control.*

2) Electrical safety

- a. **Power tool plugs must match the outlet. Never modify the plug in any way. Do not use any adapter plugs with earthed (grounded) power tools.** *Unmodified plugs and matching outlets will reduce risk of electric shock.*
- b. **Avoid body contact with earthed or grounded surfaces, such as pipes, radiators, ranges and refrigerators.** *There is an increased risk of electric shock if your body is earthed or grounded.*
- c. **Do not expose power tools to rain or wet conditions.** *Water entering a power tool will increase the risk of electric shock.*
- d. **Do not abuse the cord. Never use the cord for carrying, pulling or unplugging the power tool. Keep cord away from heat, oil, sharp edges or moving parts.** *Damaged or entangled cords increase the risk of electric shock.*
- e. **When operating a power tool outdoors, use an extension cord suitable for outdoor use.** *Use of a cord suitable for outdoor use reduces the risk of electric shock.*
- f. **If operating a power tool in a damp location is unavoidable, use a residual current device (RCD) protected supply.** *Use of an RCD reduces the risk of electric shock.*

3) Personal safety

- a. **Stay alert, watch what you are doing and use common sense when operating a power tool. Do not use a power tool while you are tired or under the influence of drugs, alcohol or medication.** *A moment of inattention while operating power tools may result in serious personal injury.*
- b. **Use personal protective equipment. Always wear eye protection.** *Protective equipment such as a dust mask, non-skid safety shoes, hard hat or hearing protection used for appropriate conditions will reduce personal injuries.*
- c. **Prevent unintentional starting. Ensure the switch is in the off-position before connecting to power source and/or battery pack, picking up or carrying the tool.** *Carrying power tools with your finger on the switch or energising power tools that have the switch on invites accidents.*
- d. **Remove any adjusting key or wrench before turning the power tool on.** *A wrench or a key left attached to a rotating part of the power tool may result in personal injury.*
- e. **Do not overreach. Keep proper footing and balance at all times.** *This enables better control of the power tool in unexpected situations.*
- f. **Dress properly. Do not wear loose clothing or jewellery. Keep your hair and clothing away from moving parts.** *Loose clothes, jewellery or long hair can be caught in moving parts.*
- g. **If devices are provided for the connection of dust extraction and collection facilities, ensure these are connected and properly used.** *Use of dust collection can reduce dust-related hazards.*

- h. **Do not let familiarity gained from frequent use of tools allow you to become complacent and ignore tool safety principles.** *A careless action can cause severe injury within a fraction of a second.*
- 4) **Power tool use and care**
- a. **Do not force the power tool. Use the correct power tool for your application.** *The correct power tool will do the job better and safer at the rate for which it was designed.*
 - b. **Do not use the power tool if the switch does not turn it on and off.** *Any power tool that cannot be controlled with the switch is dangerous and must be repaired.*
 - c. **Disconnect the plug from the power source and/or remove the battery pack, if detachable, from the power tool before making any adjustments, changing accessories, or storing power tools.** *Such preventive safety measures reduce the risk of starting the power tool accidentally.*
 - d. **Store idle power tools out of the reach of children and do not allow persons unfamiliar with the power tool or these instructions to operate the power tool.** *Power tools are dangerous in the hands of untrained users.*
 - e. **Maintain power tools and accessories. Check for misalignment or binding of moving parts, breakage of parts and any other condition that may affect the power tool's operation. If damaged, have the power tool repaired before use.** *Many accidents are caused by poorly maintained power tools.*
 - f. **Keep cutting tools sharp and clean.** *Properly maintained cutting tools with sharp cutting edges are less likely to bind and are easier to control.*
 - g. **Use the power tool, accessories and tool bits etc. in accordance with these instructions, taking into account the working conditions and the work to be performed.** *Use of the power tool for operations different from those intended could result in a hazardous situation.*
 - h. **Keep handles and grasping surfaces dry, clean and free from oil and grease.** *Slippery handles and grasping surfaces do not allow for safe handling and control of the tool in unexpected situations.*
- 5) **Battery tool use and care**
- a. **Recharge only with the charger specified by the manufacturer.** *A charger that is suitable for one type of battery pack may create a risk of fire when used with another battery pack.*
 - b. **Use power tools only with specifically designated battery packs.** *Use of any other battery packs may create a risk of injury and fire.*
 - c. **When battery pack is not in use, keep it away from other metal objects, like paper clips, coins, keys, nails, screws or other small metal objects, that can make a connection from one terminal to another.** *Shorting the battery terminals together may cause burns or a fire.*
 - d. **Under abusive conditions, liquid may be ejected from the battery; avoid contact. If contact accidentally occurs, flush with water. If liquid contacts eyes, additionally seek medical help.** *Liquid ejected from the battery may cause irritation or burns.*
 - e. **Do not use a battery pack or tool that is damaged or modified.** *Damaged or modified batteries may exhibit unpredictable behaviour resulting in fire, explosion or risk of injury.*
 - f. **Do not expose a battery pack or tool to fire or excessive temperature.** *Exposure to fire or temperature above 130 °C may cause explosion. NOTE The temperature „130 °C“ can be replaced by the temperature „265 °F“.*
 - g. **Follow all charging instructions and do not charge the battery pack or tool outside the temperature range specified in the instructions.** *Charging improperly or at temperatures outside the specified range may damage the battery and increase the risk of fire.*
- 6) **Service**
- a. **Have your power tool serviced by a qualified repair person using only identical replacement parts.** *This will ensure that the safety of the power tool is maintained.*
 - b. **Never service damaged battery packs.** *Service of battery packs should only be performed by the manufacturer or authorized service providers.*

Hold the power tool by insulated gripping surfaces, when performing an operation where the cutting accessory may contact hidden wiring. *Cutting accessory contacting a "live" wire may make exposed metal parts of the power tool "live" and could give the operator an electric shock.*

ELECTRICAL SAFETY

- a. Connect the charger only to a 230V socket.
- b. Load the battery of the screwdriver only with the appropriate charger.
- c. The charger and screwdriver must be protected against moisture!
- d. Do not use the charger outdoors.
- e. In order to protect the batteries from damage, never expose them to temperatures above 50 °C.
- f. Warning: Do not short-circuit the battery or charger contacts.
- g. Repeat positive and negative polarity when recharging the battery.
- h. Do not throw the battery into the fire.

ADDITIONAL INSTRUCTIONS FOR BATTERIES AND CHARGER

This appliance can be used by children aged from 8 years and above and persons with reduced physical, sensory or mental capabilities or lack of experience and knowledge if they have been given supervision or instruction concerning use of the appliance in a safe way and understand the hazards involved. Children shall not play with the appliance. Cleaning and user maintenance shall not be made by children without supervision.

If the supply cord is damaged, it must be replaced by the manufacturer, its service agent or similarly qualified persons in order to avoid a hazard.

Symbols

	To reduce the risk of injury, the user must read and understand this manual before using this product.
	Class II, double isolation(only for charger).
	Use the battery and charger Indoor use only.
	Conforms to relevant safety standards.
	Do not dispose of old appliances with domestic rubbish.

2. INTENDED USE

This cordless screwdriver is designed to drill wood or plastic. It is not designed for commercial or professional use.



NOTE: Please read these user instructions carefully before using this tool and retain for future consultation!

3. PRODUCT DESCRIPTION

Fig 1



Fig 2

Fig. 1	4. 1pc AC-DC Adaptor
1. 6PCS 25mm screw bits	5. 28PCS 25mm screw bits
2. 1pc 60mm magnetic bit holder	6. 1PC 25mm socket adaptor
3. 1pcs screwdriver	7. 8PCS sockets

Fig. 2	D—Trigger ON / OFF
A—Connector	E—Charge indicator
B—23 Torque stage	F—Charger Adapter
C—Work lamp	G—Button, forward / reverse direction

4. LIST OF THE PACKAGE

(Fig. 1)

- Remove all packaging materials.
- Remove the remaining packing and transport media (if applicable).
- Check that there is nothing missing in the box.
- Check that the device, power cord, power plug and all accessories have not been damaged during transport.
- Store the packaging materials as long as possible until the end of the warranty period. Dispose of them according to your waste disposal system.



WARNING: Packing materials are not toys! Children should not play with plastic bags! There is a risk of suffocation.



In case of missing or damaged parts, contact your dealer.

5. SPECIFICATIONS

CORDLESS SCREWDRIVE		HT36BMC-1
Voltage	V d.c.	3.6
No-load speed	/min	180
Torque	N.m	3
Screw Max. ϕ	mm	6.35
Reversible		
Battery cell type		Lithium-ion
Charge time	h	3~5
Weight approx.	Kg	0.37
Sound pressure level LPA	dB(A)	58.2
Sound power level LWA	dB(A)	69.2
Uncertainty K_{PA} , K_{WA} :	dB(A)	3.0
Vibration value Ah:	m/s ²	0.116
Uncertainty K:	m/s ²	1.5

Information:

- The declared vibration total value has been measured in accordance with a standard test method and may be used for comparing one tool with another;
- The declared vibration total value may also be used in a preliminary assessment of exposure.

Warning:

- The vibration emission during actual use of the power tool can differ from the declared total value depending on the ways in which the tool is used;
- need to identify safety measures to protect the operator that are based on an estimation of exposure in the actual conditions of use (taking account of all parts of the operating cycle such as the times when the tool is switched off and when it is running idle in addition to the trigger time).

Wear ear protection

6. USE

6.1 Charging



Your cordless screwdriver tool has not been fully charged at the factory.

Before using it for the first time, charge the screwdriver's battery for 3 to 5 hours. Insert the charger plug into the charging socket and plug the charger into a 230V / 50hz electrical outlet. The battery is incorporated in the handle and must not be removed to be charged.



Warning ! Do not exceed the maximum charge time of 5 hours, as there is a risk of overheating.

Recommendation: Connect the charger to a timer.

6.2 Inserting the bit / bit.

Insert a screwdriver into the tool holder as far as it will go. If using standard end caps or interchangeable head caps, use an additional tool holder. Before turning on the screwdriver, firmly place the screwdriver bit on the screw and position the switch so that the screwdriver rotates in the desired direction, press the Front / Rear Switch to operate the screwdriver.

6.3 Left/Right

To drill/fix screws, press the R button and the screwdriver will rotate to the right. To unscrew screws, press the L button and the screwdriver will turn to the left.

6.4 "Manual" Operation

Your tool screwdriver has an automatic "axis locking" function. This allows you to use it as a 'manual' screwdriver to undo very tight screws.

7. MAINTENANCE

Clean the housing only with a damp cloth. Do not use solvents! Then wipe thoroughly.

To maintain the optimum battery power, we recommend that the battery be discharged and recharged every two months.

8. STORAGE

Remove the tool, the operating instructions and the accessories in the original packaging. This way, you will always have the necessary information and parts on hand.

Your tool should be stored in a dry place and protected from freezing, the ambient temperature should not exceed 50°C. Do not store your tool with fully charged batteries and complete the charge from time to time.

9. DISPOSAL

Electric power tools, as well as their accessories and packaging, must each be able to follow an appropriate recycling pathway. Only for the countries of the European Union:



Do not throw away your electrical appliance with the household waste! In accordance with the European Directive 2012/19/EU on waste electrical and electronic equipment and its implementation in national laws, power tools that can no longer be used must be separated and follow an appropriate recycling pathway.

10. DECLARATION OF CONFORMITY



EC Declaration of conformity

BUILDER SAS

ZI, 32 rue Aristide Bergès- 31270 Cugnaux-France

Tel : + 33 (0) 5.34.502.502 Fax : + 33 (0) 5.34.502.503

Declares that the machinery designated below :

3.6V cordless screwdriver

HT36BMC-1

Serial number: 20210322470-20210327019

Complies with the provisions of the Directive « machinery » 2006/42/CE and national laws transposing it :

Also complies with the following European directives :

EMC DIRECTIVE 2014/30/UE

RoHS DIRECTIVE 2011/65/UE & (EU)2015/863

Also complies with European standards, with national standards and the following technical provisions:

EN 62841-1:2015

EN 62841-2-2:2014

EN55014-1:2017

EN55014-2:2015;EN 61000-3-2:2014; EN 61000-3-3:2013

EN 60335-2-29:2004+A2;EN 62233:2008

EN 60335-1 : 2012+A11+A13

EN 62321:2013

EN61000-6-1:2007; EN61000-6-3:2007/A1:2011

Responsible for the technical file: Mr. Olivier Patriaca

Done at Cugnaux, le 07/02/2021

A handwritten signature in black ink, appearing to read 'Philippe Marie', with a stylized flourish at the end.

Philippe Marie/PDG

11. WARRANTY

HYUNDAI

WARRANTY

The manufacturer guarantees the product against defects in material and workmanship for a period of 2 years from the date of the original purchase. The warranty only applies if the product is for household use. The warranty does not cover breakdowns due to normal wear and tear.

The manufacturer agrees to replace parts identified as defective by the designated distributor. The manufacturer does not accept responsibility for the replacement of the machine, in whole or in part, and/or ensuing damage.

The warranty does not cover breakdowns due to:

- insufficient maintenance.
- abnormal assembly, adjustment or operations of the product.
- parts subject to normal wear and tear.

The warranty does not extend to:

- shipping and packaging costs.
- using the tool for a purpose other than that for which it was designed.
- the use and maintenance of the machine done in a manner not described in the user manual.

Due to our policy of continuous product improvement, we reserve the right to alter or change specifications without notice. Consequently, the product may be different from the information contained therein, but a modification will be undertaken without notice if it is recognized as an improvement of the preceding characteristic.

READ THE MANUAL CAREFULLY BEFORE USING THE MACHINE.

When ordering spare parts, please indicate the part number or code, you can find this in the spare parts list in this manual. Keep the purchase receipt; without it, the warranty is invalid. To help you with your product, we invite you to contact us by phone or via our website:

- **+33 (0)9.70.75.30.30**
- **<https://services.swap-europe.com/contact>**

You must create a "ticket" via the web platform.

- Register or create your account.
- Indicate the reference of the tool.
- Choose the subject of your request.
- Describe your problem.
- Attach these files: invoice or sales receipt, photo of the identification plate (serial number), photo of the part you need (for example: pins on the transformer plug which are broken).



12. PRODUCT FAILURE

WHAT TO DO IF MY MACHINE BREAKS DOWN?

If you bought your product in a store:

- a) Empty the fuel tank.
- b) Make sure that your machine is complete with all accessories supplied, and clean! If this is not the case, the repairer will refuse the machine.

Go to the store with the complete machine and with the receipt or invoice.

If you bought your product on a website:

- a) Empty the fuel tank.
- b) Make sure that your machine is complete with all accessories supplied, and clean! If this is not the case, the repairer will refuse the machine.
- c) Create a SWAP-Europe service ticket on the site: <https://services.swap-europe.com> When making the request on SWAP-Europe, you must attach the invoice and the photo of the nameplate (serial number).
- d) Contact the repair station to make sure it is available before dropping off the machine.

Go to the repair station with the complete machine packed, accompanied by the purchase invoice and the station support sheet downloadable after the service request is completed on the SWAP-Europe site

For machines with engine failure from manufacturers BRIGGS & STRATTON, HONDA and RATO, please refer to the following instructions.

Repairs will be done by approved engine manufacturers of these manufacturers, see their site:

- <http://www.briggsandstratton.com/eu/fr>
- <http://www.honda-engines-eu.com/fr/service-network-page;jsessionid=5EE8456CF39CD572AA2AEEDFD290CDAE>
- <https://www.rato-europe.com/it/service-network>

Please keep your original packaging to allow for after-sales service returns or pack your machine with a similar cardboard box of the same dimensions.

For any question concerning our after-sales service you can make a request on our website <https://services.swap-europe.com>

Our hotline remains available at +33 (9) 70 75 30 30.



13. WARRANTY EXCLUSIONS

THE WARRANTY DOES NOT COVER:

- Start-up and setting up of the product.
- Damage resulting from normal wear and tear of the product.
- Damage resulting from improper use of the product.
- Damage resulting from assembly or start-up not in accordance with the user manual.
- Breakdowns related to carburetion beyond 90 days and fouling of carburetors.
- Periodic and standard maintenance events.
- Actions of modification and dismantling that directly void the warranty.
- Products whose original authentication marking (brand, serial number) has been degraded, altered or withdrawn.
- Replacement of consumables.
- The use of non-original parts.
- Breakage of parts following impacts or projections.
- Accessories breakdowns.
- Defects and their consequences linked to any external cause.
- Loss of components and loss due to insufficient screwing.
- Cutting components and any damage related to the loosening of parts.
- Overload or overheating.
- Poor power supply quality: faulty voltage, voltage error, etc.
- Damages resulting from the deprivation of enjoyment of the product during the time necessary for repairs and more generally the costs related to the immobilization of the product.
- The costs of a second opinion established by a third party following an estimate by a SWAP-Europe repair station
- The use of a product which would show a defect or a breakage which was not the subject of an immediate report and/or repair with the services of SWAP-Europe.
- Deterioration linked to transport and storage*.
- Launchers beyond 90 days.
- Oil, petrol, grease.
- Damages related to the use of non-compliant fuels or lubricants.

* In accordance with transport legislation, damage related to transport must be declared to carriers within 48 hours maximum after observation by registered letter with acknowledgement of receipt.

This document is a supplement to your notice, a non-exhaustive list.

Attention: all orders must be checked in the presence of the delivery person. In case of refusal by the delivery person, it you must simply refuse the delivery and notify your refusal.

Reminder: the reserves do not exclude the notification by registered letter with acknowledgement within 72 hours.

Information:

Thermal devices must be wintered each season (service available on the SWAP-Europe site). Batteries must be charged before being stored.

HYUNDAI
POWER PRODUCTS

For Inquiries, please contact:

BUILDER SAS

32, rue Aristide Bergès Z1 31270 Cugnaux, France

Tél. : +33 (0) 5.34.502.502 Fax : +33 (0) 5.34.502.503

<http://www.hyundaipower-fr.com/>

Fabriqué en République Populaire de Chine (PRC)